ORTHOINTSPINESMUSCLE

Gregory T. Poulter, MD 8450 Northwest Blvd. Indianapolis, IN 46278 317.802.2424 • OrthoIndy.com

Lumbar Micro-Discectomy Post-operative Information

What to Expect

Some discomfort immediately after surgery is common. It is normal to have some low back pain and muscle spasms. This pain will be temporary and usually resolves in a few days or weeks. Most patients do not need pain medication after four to five days. Nerve pain in the leg(s) is usually immediately improved, but may "flare up" for a few days after surgery as a result of manipulation of the nerve during surgery. Nerve pain that is significantly worse is uncommon, and if occurs, should be brought to our attention immediately. Most of the time, any remaining nerve pain in the leg(s) after surgery will improve over the course of four to six weeks as inflammation of the nerve and surrounding tissues resolves. Pain in the back will ease as the muscles and tissues adapt.

When to Call

Call Ortholndy at **317.802.2000** if you have any of these symptoms or concerns. It is best to call during business hours for matters that are not urgent. If you have a pressing concern, there is always someone to answer the phone with a physician/PA on call.

- Fever greater than 101 degrees Fahrenheit
- Headaches that worsen when upright and resolve with lying down
- Wound drainage that is increasing not decreasing
- Worsening numbness or weakness in the leg(s)
- One to two days before any anticipated prescription refills
- If you have any questions

Medications

1

You will be prescribed medications to ease the pain and muscle spasms after surgery. Starting the first day after surgery, it is okay to take anti-inflammatory medications (Advil, Motrin, Aleve, ibuprofen, naproxen, indomethacin, etc.).

The following are common medications prescribed. They are to be taken on an "as needed" basis. If you have no pain or discomfort, you should not take them.

- Norco/Dilaudid/Oxycodone These are narcotic pain medications. Do not drive while taking these medications. In addition to drowsiness, they commonly cause nausea and itching. If these side effects are bothersome, over the counter antihistamines (Benadryl, Claritin, Allegra, etc.) typically ease the nausea and itching. Constipation is also common with these medications, so we recommend over the counter Colace to be taken per the package directions.
- **Zanaflex/Flexeril** These medications are for muscle spasms. They will not be prescribed in every case. These medications can also be sedating. Do not drive while taking these medications.

Wound Care, Dressings and Post-operative Stockings (TED Hose)

In most cases, your surgical wounds will be closed with sutures that dissolve below the skin and does not require removal. There will also be a layer of "glue" over the incision to make it waterproof. The dressing that is placed at the time of discharge from the hospital is also waterproof and you may shower, but not bathe, with that dressing. This dressing should be removed in 24 to 48 hours. Showering without a dressing is allowed, but no soaking the incision in a bath tub/hot tub/pool until you are given the okay. A Band-Aid or gauze with tape may be used to cover the incisions once the hospital dressing is removed. The white stockings should be worn for at least two weeks. After this time and once you have returned to normal walking, they may be removed.

Activity Recommendations

We have developed specific physical therapy protocols with our local physical therapists. This is a summation of our clinical experience and the latest research. If you will be having therapy away from Indianapolis, we can make our protocols available to your therapist.

- You may drive once you are no longer taking prescription pain medications.
- First four weeks after surgery Please limit lifting to less than 15 pounds. Walking is encouraged. No vigorous activities or sports are recommended.
- **Two weeks after surgery** We start physical therapy to help strengthen the muscles in and around the back.
- Six weeks after surgery Usual release to full activities without restrictions.

Follow-up Appointments

- **Two weeks after surgery** Please call **317.802.2049** to schedule this appointment if it was not made at the time you scheduled your surgery. This visit with Dr. Poulter will be used to answer all the questions that come up once you are home from surgery. We will prescribe physical therapy at this visit.
- **Six weeks after surgery** This visit will be with Mike Skonieczka, PA-C. It is to ensure that you are progressing.
- **Twelve weeks after surgery** This visit will be with Dr. Poulter. Often this is your final scheduled appointment. We often refer to it as your "graduation."